



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Hive
1510 Quail Lake Loop
Colorado Springs, CO 80906

SAMPLE DESCRIPTION Lot 212RKY32523
Green sample; kratom powder
SAMPLE DATE
DATE RECEIVED 3/21/2026
REFERENCE NUMBER 202969944: 2616630 **Customer PO**
TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
7 Hydroxymitragynine	Analyst: 64	<0.01 %	20172:71	3/25 3:25 PM
Mitragynine	Analyst: 64	1.58 %	20172:71	3/25 3:25 PM
Aerobic Plate Count	^Bam Ch 3 Analyst: 65	Log: <2.0 <100 cfu/g		3/23 2:59 PM
Coliform	^AOAC 991.14 Analyst: 65	Log: <2.0 <100 cfu/g		3/23 2:59 PM
Mold	^Bam Ch18 Analyst: 65	Log: <2.0 <100 cfu/g		3/23 2:59 PM
Staphylococcus aureus	CMMEF 39.52 Analyst: 65	<3 mpn/g		3/23 2:53 PM
Yeast	^Bam Ch18 Analyst: 65	Log: <2.0 <100 cfu/g		3/23 2:59 PM
E.coli Generic	^AOAC 991.14 Analyst: 65	Log: <2.0 <100 cfu/g		3/23 2:59 PM
Salmonella	^AOAC 2009.03 Analyst: 65	Negative/25g		3/23 10:15 AM Kit Lot Number: GDSSL09052514C

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 3/30/2026

Date: 3/30/2026




Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION	Lot 212RKY32523 Green sample; kratom powder		
SAMPLE DATE			
DATE RECEIVED	3/21/2026		
REFERENCE NUMBER	202969944: 2616630	Customer PO	
TEMPERATURE AT RECEIVING			


Test Requested	Test Method	Results	Ref Number	Start Date
Arsenic	Analyst: 45	0.566 mg/kg	20179:4	3/24 10:48 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20179:4	3/24 10:48 AM
Lead	Analyst: 45	<0.5 mg/kg	20179:4	3/24 10:48 AM
Mercury	Analyst: *212 ID#8001	<0.19 mg/kg	26C0960-01	3/26 12:00 PM *Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 3/30/2026

Date: 3/30/2026