



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

CUSTOMER Hive
1510 Quail Lake Loop
Colorado Springs, CO 80906

SAMPLE DESCRIPTION Red Sunda Kratom Powder Raw Lot 212RKY32518
SAMPLE DATE
DATE RECEIVED 4/27/2026
REFERENCE NUMBER 202969944: 2624059 **Customer PO**
TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Mitragynine	Analyst: 64	1.69 %	20172:108	4/29 12:41 PM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026